



DESCRIPTION

ATM 10 CBRN decontamination portable unit is the ideal equipment for immediate interventions and is essential for the protection of personnel in the event of chemical, biological or radiological disaster or attack

Compatible with any kind of decontamination agents (Powder or liquid).

Allows the decontamination of vehicles, materials, building interiors, and staff (personal with CBRN protection suit

ATM 10 CBRN decontamination portable unit is developed according to STANAG 4653, combining Operational Characteristics, Technical specifications, Test Procedures and Evaluation Criteria for Chemical, Biological, Radiological and Nuclear Decontamination Equipment.

COMPONENTS

- Main body or tank (Stainless Steel) (height 510 mm, diameter 200 mm)
- Hand pump.
- Safety elements. Ventilation and safety valve, manometer (10 Bar).
- Application lance (length 520 mm)
- Connection hose (length 1.000 mm)
- Interchangeable nozzle
- Adjustable strap-carrier
- Decontamination agent RD30 (2 x 250 ml)

Optional:

- Transport trolley
- Transport and storage box

TECHNICAL SPECIFICATIONS

- Main tank of Stainless Steel with Certification of Resistance to decontaminating agent RD30
- Dimensions: height 680 mm, diameter 200 mm
- Weight : 5,5 kilos
- Tank capacity: 10 liters
- Work pressure: 6 Bar
- Performance: 50 m2
- Work temperature: from 0º to 50º C

